THIS REPORT HAS BEEN DELIMITED

AND CLEARED FOR PUBLIC RELEASE

UNDER DOD DIRECTIVE 5200.20 AND

NO RESTRICTIONS ARE IMPOSED UPON

ITS USE AND DISCLOSURE.

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

Armed Services Technical Information Agency

Because of our limited supply, you are requested to return this copy WHEN IT HAS SERVED YOUR PURPOSE so that it may be made available to other requesters. Your cooperation will be appreciated.



NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U.S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

Reproduced by DOCUMENT SERVICE CENTER KNOTT BUILDING, DAYTON, 2, 0H10

IUNCLASSIFIED

ASTER FEE CONT.

General Mills. Inc. Mechanical Division

ENGINEERING RESEARCH & DEVELOPMENT DEPARTMENT

2003 EAST HENNEPIN AVENUE MINNEAPOLIS 13, MINN.

FINAL REPORT

CONTRACT NO. Nonr 875(00)

ANNEX II

Prepared for

The Office of Naval Research Washington 25, D. C.

This document has been reviewed in accordance with PNAVINST 5500.17, paragraph 5. The security classification assigned to is correct.

ates 9/0/54

By direction of Chief of Naval Research (Code 111)

Report No. 1308

10 June 1954

Prepared by: Keith C. Giles

Approved by:

Cledo Brunetti, Director

GENERAL MILLS, INC.
Mechanical Division
FINGINEERING RESEARCH AND DEVELOPMENT
2003 E. Hennepin Ave.
Minneapolis 13, Minn.

FINAL REPORT CONTRACT Nonr 875(00)

ANNEX II

I. AIMS

On 29 May 1952, Contract Nonr 875(00) between General Mills, Inc. and the Office of Naval Research was amended to provide for the launching of "Skyhook" plastic balloons to carry scientific instruments to high altitudes. Scientific payloads were supplied by the Evans Signal Corps Engineering Laboratories. General Mills, Inc. supplied "Skyhook" balloons, balloon controls and safety equipment. Engineering services for launching and telemetering altitude information were also supplied by General Mills technical personnel.

II. WORK ACCOMPLISHED

Flight work on this project was carried out in July and August of 1953 and in May of 1954.

Six flights were made in the Summer of 1953, flights number 1000, 1038, 1042, 1045, 1047 and 1048. In all cases, 85-foot "Skyhook" balloons were used to carry the following equipment to high altitudes.

- 1. The scientific payload, an ozone counter, supplied by the Evans Signal Corps Engineering Laboratories.
- 2. Release timer, a clock mechanism set to fire a squib, severing the instruments from the balloon at a predetermined time.
- 3. Parachute, to return the instruments safely to earth after being released from the balloon.
- 4. Radio transmitter, pressure actuated to transmit pressure altitude data.

- 5. Cameras facing both up and down.
- 6. Safety switch, set to release the payload if balloon should float below 30,000 ft.

In addition to these standard items, two flights, number 1000 and 1038, carried a radio release, a device designed to separate the load from the balloon on radio command actuated from the ground or from an aircraft. Two flights, 1000 and 1045, failed prematurely; flight 1000 from premature radio release (improperly assembled by field technicians), and flight 1045 from balloon failure while rising. One flight, 1042, failed on reaching ceiling due to a restricted appendix. The remaining three flights performed successfully.

Two flights were made in May of 1954, flights number 1138 and 1139. These two flights were similar to those made in 1953 in that they utilized 85-foot "Skyhook" balloons and carried release timers, safety timers, pressure-sensitive radio transmitters, and parachutes, all of which are standard balloon flight accessories. Rather than carrying an ozone counter as the main load, the primary objective was to obtain meteorological trajectory data for analysis by the Meteorological Branch of the Evans Signal Corps Engineering Laboratories. Down cameras were used for trajectory and altitude purposes. Additional altitude information was derived from barographs and altitude telemeters. A secondary load was provided on each flight. Flight 1138 carried a dew point hygrometer for New York University, and on 1139 a cosmic ray counter for the University of Minnesota was flown. In addition, several "hitch-hike" payloads were carried aloft. Both flights performed successfully.

Flight data on all flights are presented in the next section.

General Mills, Inc. is happy to have been able to work with the personnel of Evans Signal Corps Engineering Laboratories and the Office of Naval Research in carrying out these high altitude scientific experiments and hopes all payloads performed satisfactorily and met with success.

June 1 7 1954 TRANSPORT OF THE PROPERTY OF

0			, u	ດ		11 2 4													=			1	1
<u> </u>	1			7		3			8			202	5	\$	3	93	8	88	88	-			
أنبتر														١.		z							L
5	<u>.</u>															E	¥ ′	0		ļ		337	
\$	က်															1,	*			2		7	
2	ပ								ļ	-		1				INPACT, 4	が 						((
0	မ္တ															=	- 西	1		53			3
\$	Ξ					-	1				<u>.</u>									2	Ï		7
																		-		7	VED	-	< 1
	1						_				1		,				1			يا ا	PRO	8	1
												3 =								+0	¥	F	
	1					-			<u> </u>	-		- 5	-				1	-		ļ			
			::Ľ		ļ		-			-		1.		1	Ļ.	-					1		
						-		ļ	<u> </u>	-		123			<u> </u>	-	<u> </u>					ļ	
								1	1									-		1	ļ		
	<u> </u>	-				-		-		*		-	3		<u>.</u>	-					ري دي	B	ш
	1						-	20	953	7	414		200							S.	OUR	F	STANDARD TIME
- 9	1					-	38	TRC				∄ ຶ	뿦			-				<u> </u>	<u> </u>	-	9
		E				-	=	17-5	3	5	96		070			ļ					<u>—</u>		NO N
E			1	-	<u>.</u>		2	ङ्ग	9.	¥	- 1	=	MS		<u>.</u>					-	X		STA
				1			=	ထ်		₹ .	# F	2 Kg	9			ļ				ļ			
					4.		3	æ	8	8]~	0		·	+-	-				APS	8	CENTRAL
9					,	1	<u>-</u>	ŭ.	<u> </u>	12	II (2			-					7	盂		3
7			SE		<u>.</u>	-	-	-		-				-	-	-		-					
						-		1						-	-	-		-	-	-	į.	-	
												-		<u>.</u>		-		-		-		-	
		1	RATE	<u>₹</u> .	1						١,	i				-			90	-	-	0	
			Щ	Z B		-		-		-	1								Z .	-	-	080	
			RAK	9	-: -	-	1			i	÷					.		LIS	₩.	-			
•			¥	55	-	-				-				1->		-		步	<u> </u>	-		-	-,
				-				-	- !	-		-			- `	-1		A CK	53 OF	-		-	
							-			-		-				-	-	1	ചര്	-			+
							-	1			-			-		-	-			-		9	
							•	-			-			-		1	-		1	-		270	
		-	i		-	1			1											.0			
-					1	-		-								-		-		-		-	
						-						-											
	3	8		8	-	**		3	-	36		9	-	9	-	8		9		-		-	•
	THEADETICAL	100 RELEASE	THEORETICAL CEILING	AVERAGE RATE OF RISE	190 AVERAGE RATE OF RISE 576 FT/MIN 80 10 91,900 FT	190 AVERAGE RATE OF RISE 576 FT/MIN 80 10 91,900 FT	190 AVERAGE RATE OF RISE 576 THEORETICAL CEILING AVERAGE RATE OF RISE 777	100 AVERAGE RATE OF RISE 576 FT/WIN 80 TO 91, 900 FT FLIGHT NO 1038	100 AVERAGE RATE OF RISE 576 FT/MIN 74 FLIGHT NO 1038 60 FOR 8-5007-STROUD	100 AVERAGE RATE OF RISE 76 76 FLIGHT NO 1038 FOR 8-5007-STROUD FLOWN [6 JULY 1953	100 AVERAGE RATE OF RISE 56 10 91,900 FT FLIGHT NO 1038 60 FOR 8-5007-STROUD FOR 8-5007-STROUD FOR 9-5007-STROUD FOR 9-5007-STROUD	190 AVERAGE RATE OF RISE 576 FT/MIN 10 91,900 FT FLIGHT NO 1038 FU 96 8-5007-STROUD FOR 8-5007-STROUD	100 AVERAGE RATE OF RISE 50 TO 91,900 FI FLIGHT NO 1038 FOR 8-5007-STRQUD FLOWN 16.JULY 1953 50 1.040 ON SALLOON 1794# FREE LIFT 364 - 115 FREE LIFT 364 - 115 BALLOON 17PE MUNBER MATERIAL WEIGHT 855 6 ARL \$294 151#	90 A AYERAGE RATE OF RISE 576 FT/HIN FLIGHT NO 1038 FOR 8-4007-STROUD FOR 8-4007-STR	90 AVERAGE RATE OF RISE 576 FT/MIN 70 91,900 FT 74 FLIGHT NO 1038 FLOWN 16 JULY 1953 FLOWN 16 JULY 1953 FLOWN 8ALLDON 174# FREE LIFT 36# - 115 BALLOON TYPE MUMBER MATERIAL WEIGHT BALLOON TYPE MUMBER 1000 WAS 020ME COUNTER	99 AVERAGE RATE OF RISE 576 FT/HIN FLIGHT NO 1038 FLOWN 16 JULY 1953 FLOW 0H SALLON FREE LIFT 368 - 117 RREE LIFT 368 - 117 BALLON TYPE HUNBER MATERIAL WEIGHT BALLON TYPE HUNBER ARL \$294 151\$	100 100	THEORETICAL CEILING CAD CAD	The Ore Tick The	1900	190 THEOREFICAL CELLING 1038 1109 1576 FT/MIN 1576 FT/MIN	190 THEORETICAL CELLING 1038 THEORETICAL CELLING 1108 THO 1038 THO 1038 THO 1038 THO THO	THEOREFICAL CELLING THEOREFICAL CELLING THEOREFICAL CELLING THEOREFICAL CELLING THEOREFICAL CELLING THEOREFICAL CELLING THEOREFICAL CANDON TYPE ALMBER MATERIAL REIGHT BALLOON TYPE ALMBER MATERIAL REIGHT B


LEMERAL STELS, ICL., ERCHERRING ALSENION AND DEVILORMENT DEFAULT, SHINESPOLIS, MINN


											SAP	1817	JIH	HI	3	SUR	RES	4		:			
				+		-			3		100	207	38	ġ	3	Š	KE2	¥ 3	3				
			1																			<.	Ţ
				1																		L	1
																1						-	· ()
							WF 1081	33.8															1
	i						N. E.	=														1	. ,
								1 ==						4						.23			
							7	ARL #294		1			1							8-25-53	-1	<	
							A I	F.		0730.5 C.S.T									disco c.s. r.	80	APPROVED		
				53		135#	1 .	1		iù				-					ပ	٠	280		
				2	9	10	+ 44 197.0			730									3	D.K.	4 P	3	
			1045	AUGUST 1953	STROUD	*	*	7		1								S				0060	
			2	AUG	İ	LOAD ON BALLDON				BURST								# S	APPROXIMATELY				
1			C	3	85007	BAL	<u>}</u>	95		38			1					- (2 X	2			
			l l		20	₹	Į į	ις.		8								IMPACT.	20X				
			FLIGHT	FLOW	FOR	AD.	FREE LIFT			BALLOON								国	A PF				
				į i	F	2	2	Š		· CC			ì								IN HOURS	8	FE
					-	Į.						_				I		1 -			£	0080	-
i										17			1	1		- 6	,						DAR
		5								٠		'				1				-	TIME		STANDARD TIME
										*										-			
		3			1							71.									PSE		TRA
		CAL CELLING	i										e de								ELAPSED	3	CENTRAL
													9.		`	-						0700	1
		THEORET											D L										
		THE STATE OF THE S											1	H	*					Ü			+
IA													AVERAGE RA	TO 51,700 FT					0630 C.S.T.				Ī
0					İ								AGE FIL						2	0			
APE			į							1			VER 22	0.5				LAUNCH SITE	¥ -	-60		2	
900												1	4 3	· I— :				H	¥ 0.	0	ည	0000	
BAB										DATA,	ž N		•	1				CHI	0630 C. 8	우	*	1	-
SH 223 BAROGRAPE DATA										a	REPORT 131500Z							3	38	0	JRE		
7				1					1	URE	3 6				٠٦.		-			-20	TEMPERATURE		
- 19										RA.	8-	to dev i resson e i				1-5	1	1	-1		(PE)		
			1							4	S &		1				TV.			9	T		
		1					1			1	2 d	-					-	-					
																			. KU* (8			
		3			8			ş		-	-	2				20			+ -	d	-	-	

and Constitution

KUM 'SITCESTEEN 'BEN

Constitution of the Consti





a south mer bettermen south mine 2 greenwillike

Armed Services Technical Information Hgency

Because of our limited supply, you are requested to return this copy WHEN IT HAS SERVED YOUR PURPOSE so that it may be made available to other requesters. Your cooperation will be appreciated.



NOTICE: WHEN COVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

Reproduced by DOCUMENT SERVICE CENTER KNOTT BUILDING, DAYTON, 2, OHIO

UNCLASSIFIED